UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,681	04/04/2006	Sacha Felder	3621	1764
7590 05/20/2011 Striker, Striker & Stenby EXAMINER				IINER
103 East Neck l	Road		DEXTER, CLARK F	
Huntington, NY 11743			ART UNIT	PAPER NUMBER
			3724	
			MAIL DATE	DELIVERY MODE
			05/20/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Commence	10/574,681	FELDER, SACHA				
Office Action Summary	Examiner	Art Unit				
	CLARK F. DEXTER	3724				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	ldress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	Lely filed the mailing date of this or (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 02 M	arch 2011					
	action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
·	,					
Disposition of Claims						
4) Claim(s) 1,2 and 4-27 is/are pending in the app	lication.					
4a) Of the above claim(s) 13 and 27 is/are with	4a) Of the above claim(s) 13 and 27 is/are withdrawn from consideration.					
5) Claim(s) 1,2,4-6,10-12,14,15,17-21 and 24-26 is/are allowed.						
6) Claim(s) 7-9,16,22 and 23 is/are rejected.	6) Claim(s) <u>7-9,16,22 and 23</u> is/are rejected.					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner	·.					
10)⊠ The drawing(s) filed on <i>07 January 2009</i> is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 H.S.C. & 119(a)	-(d) or (f)				
a) ☑ All b) ☐ Some * c) ☐ None of:	priority under 65 5.5.5. § 115(a)	(a) 01 (1).				
1.☐ Certified copies of the priority documents	s have been received					
2.☐ Certified copies of the priority documents		on No				
	• •	<u> </u>	Stane			
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).					
• •	* See the attached detailed Office action for a list of the certified copies not received.					
dee the attached detailed Office action for a list of the certified copies flot received.						
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ☐ Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P					
Paper No(s)/Mail Date	6)					

Art Unit: 3724

DETAILED ACTION

1. The after-final amendment filed on March 2, 2011 has been entered. Because the amendments prima facie place the application in condition for allowance, the withdrawn claims have been considered for rejoinder. The appropriate withdrawn claims have been rejoined as described below and new grounds of objection/rejection have been necessitated. Accordingly, the finality of the Office action mailed February 4, 2011 has been **withdrawn** to address these issues.

Election/Restrictions

2. This application is substantially in condition for allowance except for the presence of claims 13 and 27 which stand as withdrawn because they are directed to different inventions that were non-elected without traverse. Accordingly, these claims should be cancelled in response to this Office action.

Rejoinder

3. Withdrawn dependent claims 4-9, 11-23 and 26 further define the hand-held power tool of claim 1 and thus are considered to be prima facie in condition for allowance based on the allowability of claim 1. Thus, these claims have been rejoined.

Art Unit: 3724

Drawings

4. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the actuator rod guide as set forth in claim 8, which guide is not described using a reference numeral and does not appear to be shown, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3724

Claim Objections

5. Claims 7-9, 22 and 23 are objected to because claim 7 depends from canceled claim 3. Appropriate correction is required.

Claim Rejections - 35 USC § 112, 2nd paragraph

6. Claims 7-9, 16, 22 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 7, line 2, the recitation "at least partially integrally joined" is vague and indefinite as to what structure is being set forth.

In claim 8, line 3, the recitation "an actuator rod guide" is vague and indefinite as to what disclosed structure it refers.

In claim 16, the recitation "wherein said housing forms said barrel grip" is vague and indefinite with respect to claim 1 and how the claimed invention thereof is being further defined.

Allowable Subject Matter

- 7. Claims 1, 2, 4-6, 10-12, 14, 15, 17-21 and 24-26 are allowable over the prior art of record.
- 8. Claims 7-9, 16, 22 and 23 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Art Unit: 3724

Conclusion

9. Applicant's amendment filed on March 2, 2011 placing the application in condition for allowance necessitated rejoinder which in turn necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to CLARK F. DEXTER whose telephone number is (571)272-4505. The examiner can normally be reached on Monday, Tuesday, Thursday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Clark F. Dexter/
Primary Examiner, Art Unit 3724

cfd May 19, 2011